

Tenda



All for better networking

MF3

4G LTE Mobile Wi-Fi

www.tendacn.com



MF3

4G LTE Mobile Wi-Fi

MF3 is a portable 4G LTE mobile Wi-Fi device that utilizes Wi-Fi 6 technology. It features a large capacity battery and a convenient USB-C charging port design. Moreover, it is compatible with 4100+ global operators, plug and play. It serves as the perfect companion for your travels, outdoor activities, and business trips.

Main Features



Wi-Fi 6 Technology, Doubling the Internet Speed

It supports the new generation Wi-Fi 6 technology, the Wi-Fi speed reaches up to 286Mbps, delivering a faster, more stable, and easily shareable on-the-go Wi-Fi experience.



Compatible with 4100+ Operators, Plug and Play

It integrates SIM cards from 4000+ global operators. Simply insert the SIM card, power on, and connect without any configuration. It allows you to easily connect Wi-Fi wherever you are.

※ The data is sourced from Tenda Lab, and may vary based on the actual network conditions.



Continuous Use for 8.5H, Durable and Long-lasting


It has a 2100mAh rechargeable lithium battery and supports an energy-saving mode, ensuring longer usage time. Ideal companion for travel, outdoor activities, or business trips.

※ Data is sourced from Tenda Lab; battery life and performance may vary based on environmental conditions.



USB-C Port for More Convenient Charging

It has a USB-C standard charging port, just like a mobile phone, ensuring more convenient charging, making your journey hassle-free.



Simple Smart Mobile Management

No need to download APP, simply access 'tendawifi.com' using your mobile browser. Easily view detailed information like data usage, Wi-Fi, battery, etc., and effortlessly configure settings.

Specification

Hardware Specifications	
4G Cartgory	LTE CAT.4
4G/3G Standards	FDD LTE,TDD-LTE,WCDMA
Working Bands	4G FDD_LTE:B1/B3/B5/B7/B8/B20; 4G TDD-LTE:Band38/Band40; 3G WCDMA:B1/B5/B8
Max 4G Speed	DL: 150Mbps; UL: 50Mbps
Wi-Fi Standards	802.11b/g/n/ax
Wi-Fi Frequency	CE 2.4GHz: 2412-2472 MHz(CH1-CH13)
Wi-Fi Speed	Wi-Fi 6; 2.4GHz:286Mbps
Wi-Fi transmit Power	2.4GHz:up to 20dBm
USB Port	USB-C port
SIM Slot	Nano SIM slot
Button	Power on/off; Reset hole
Antennas	2 Internal 4G/3G Antennas; 1 Internal Wi-Fi Antennas
Indicator	3 LED indicators; Internet status; Wi-Fi status; Battery status
Battery	Type: Li (rechargeable); Capacity: 3.8V, 2100 mAh,7.98Wh; Working time: up to 8.5hours ; Standby time: up to 168hours *depending on the network

Software Specifications	
WAN Type	4G/3G
4G/3G Features	Auto-APN; Auto dial-up; Roaming; SMS(Send/Receive/Delete); Data limited; Power save; PIN Management; USB Tethering
Wireless Security	WPA3-PSK/WPA2-PS, KWPA-PSK/WPA2-PSK

Specification

Software Specifications	
Software features	Local management; DHCP Server; QOS; Upgrade firmware from local or OTA; IPV4/IPV6
Certifications	
Certifications	CE Granted; ROHS Granted; IPV6 Host
Working Environment	
Temperature	Operating Temperature: 0°C~35°C
Humidity	Storage Humidity: 5% ~ 90% RH Non-condensing
Package Contents	
Package Contents	1 * Mobile Wi-Fi; 1 * USB-C cable; 1 * Rechargeable Battery ; 1 * Quick Installation Guide

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int’ l E-City,
#1001 Zhong Shan Yuan Rd.,Nanshan District,Shenzhen China.
E-mail:support@tenda.com.cn

